

FOR BIDDING ONLY
NOT FOR CONSTRUCTION

- 1. DESIGN CRITERIA:**
 A. DESIGNED USING INTERNATIONAL BUILDING CODE, 2018 EDITION
 B. ROOF LIVE LOAD(SNOW LOAD) = 30 PSF
 C. ROOF DEAD LOAD = 15 PSF
 D. FLOOR LIVE LOAD = 40 PSF
 E. FLOOR DEAD LOAD = 20 PSF
 F. WIND SPEED = 115 MPH
 G. EXPOSURE TYPE = II
 H. SEISMIC CATEGORY = II
 I. MINIMUM FROST DEPTH = 24 INCHES

2. FOUNDATIONS & SLAB ON GRADE:

- A. ALL FOOTING AND FOUNDATION DESIGNS ARE BASED ON AN ALLOWABLE SOIL BEARING CAPACITY OF 1,500 PBF BEARING ON COMPACT NATIVE SOIL (SEE MINIMUM). IF THE SITE HAS A LOWER BEARING CAPACITY THAN ASSUMED THE FOUNDATION PLAN WILL NEED TO BE REDESIGNED. IF SOIL IS DISTURBED, COMPACT SOIL IN 6" LIFTS TO 95% MAXIMUM DRY DENSITY PER ASTM D950.
 B. MINIMUM FROST DEPTH FROM LOWEST ADJACENT FINISH GRADE TO BOTTOM OF FOOTING SHALL BE MAINTAINED FOR ALL EXTERIOR FOOTINGS.
 C. CONTRACTOR TO VERIFY LOCATIONS FOR DEEP FOOTINGS AND FOUNDATION WALLS BASED ON SITE RELATED FINISHED GRADE. IF NECESSARY, FOOTING STEPS ARE TO BE A MAXIMUM OF (2) VERTICALLY TO (1) HORIZONTALLY.
 D. ALL SLABS SHALL HAVE REINFORCING PER PLANS & CONTROL JOINTS @ 10'-0" SPACING MAX.
 E. ALL STRUCTURAL FILL BELOW FOOTINGS SHALL EXTEND OUT PAST FOOTINGS AT A SLOPE OF 1 HORIZONTAL TO 3 VERTICAL TO COMPACT SOILS.
 F. PROVIDE ADEQUATE DRAINAGE BEHIND ALL WALLS TO ALLEVIATE ANY STANDING WATER.
 G. ALL CONCRETE FILL & APRON LOCATIONS TO BE SECURED TO FOUNDATION WITH #4 DOWELS @ 24" O.C. EXTEND EXPOSED SIDES A MINIMUM OF 24" BELOW FINISHED GRADE.
 H. MINIMUM CONCRETE SLAB DEPTH IS 4".

3. CONCRETE:

- A. THE MINIMUM COMPRESSIVE STRENGTH FOR CONCRETE AT 28 DAYS SHALL BE AS FOLLOWS (DESIGNED USING 2,500 PSI):
 1. ALL FOOTINGS, FOUNDATIONS, AND STEM WALLS FC = 3,000 PSI
 2. SLABS ON GRADE FC = 3,500 PSI
 B. MINIMUM CLEAR PROTECTION FOR REINFORCEMENT SHALL BE AS FOLLOWS:
 1. PLACED DIRECTLY AGAINST EARTH 3"
 2. FORMED SURFACES #3 BARS OR SMALLER 1-1/2"
 3. STRUCTURAL SLAB 1"
 C. SAAN CONTROL & CONSTRUCTION JOINTS SHALL BE MADE AS SOON AS POSSIBLE WITHOUT DAMAGE TO THE SURFACE. FILING OF SAAN JOINTS WHERE REQUIRED SHALL BE DELAYED AS LONG AS POSSIBLE TO ALLOW MAXIMUM SHRINKAGE TO OCCUR IN SLABS.
 D. ALL EMBEDDED ANCHOR BOLTS SHALL BE A307 OR A307 STEEL WITH 7" MIN. EMBEDMENT. ANCHOR BOLTS TO BE WITHIN 1/2" OF SHAL FLATE ENDS, WITH A MIN. OF TWO PER WALL AND NO CLOSER THAN 6" FROM CONCRETE WALL CORNERS. REFER TO LOG MANUFACTURER'S SPECIFIC BOLT PLAN FOR LOG WALL ANCHORS. DO NOT FOUR FOUNDATION WITH OUT LOG MANUFACTURER'S BOLT PLAN.
 E. WET SETTING OF REINFORCING BARS IN FOOTINGS AND WALLS IS NOT ALLOWED.
 F. BLOCK-OUT ALL STEM WALLS @ ENTRIES AS REQUIRED.
 G. CONCRETE FORM WORK TO BE OF ADEQUATE STRENGTH AND BRACED TO PREVENT DEFORMATION.
 H. PROTECT ALL CONCRETE FROM FREEZING.
 I. ALLOW LEVEL AND RETAINING WALLS WHICH HAVE FILL HIGHER THAN AN INTERIOR FLOOR LEVEL SHALL HAVE AN APPROVED WATERPROOFING MEMBRANE APPLIED.
 J. PROVIDE ADEQUATE TEMPORARY BRACING OF CONCRETE AND/OR RETAINING WALLS DURING INITIAL FROM TO INSTALLATION OF MAIN FLOOR FRAMING AND BASEMENT FINISHED FLOOR SYSTEM AND RESISTING SLABING BY HAVING BASEMENT CONCRETE SLAB ON GRADE FLOOR INSTALLED.
 K. IT IS RECOMMENDED THAT ALL GRADING, EXCAVATION, AND INSTALLATION OF FOUNDATIONS BE PERFORMED UNDER THE INSPECTION AND TESTING OF A QUALIFIED GEOTECHNICAL CONSULTANT DURING THE CRITICAL STAGES OF CONSTRUCTION.
 L. SLAB & TEXTURE OF EXPOSED CONCRETE SURFACES PER OWNER'S DIRECTION.

4. REINFORCING STEEL:

- A. ASTM A615, GRADE 60, BARS TO BE WELDED SHALL BE ASTM A706, GRADE 60.
 B. MINIMUM LENGTH OF LAPPED SPICES SHALL BE 45 TIMES BAR DIAMETER UNLESS NOTED OTHERWISE. STAGGER SPICES IN WALLS SO THAT NO TWO ADJACENT BARS ARE SPICED IN THE SAME LOCATION.
 C. WELDED WIRE FABRIC SHALL CONFORM TO ASTM A185, F_y = 75,000 PSI.
 D. REINFORCING SHALL BE CONTINUOUS THROUGH ALL COOL JOINTS.
 E. PROVIDE CORNER BARS WITH 18" LEGS AT CORNERS AND INTERSECTING WALLS AND FOOTINGS. SIZE AND PLACEMENT TO MATCH HORIZONTAL REINFORCEMENT.
 F. PROVIDE #4 HORIZONTALS AT TOP OF WALL, CONT. IN FOOTINGS, AND ABOVE ALL OPENINGS. PROVIDE #4 HORIZONTALS AT ALL INTERSECTING FLOORS AND ROOF LEVELS, BOTTOM OF ALL WINDOWS AND AT 10'-0" O.C. MAXIMUM OR PER PLANS.
 G. PROVIDE #4 VERTICALS AT 24" O.C. W/ STANDARD HOOK EXTENDING INTO FOOTING AT EACH SIDE OF WALL OPENINGS AND AT EACH END OF WALLS.
 H. PROVIDE FOUNDATION HOOKUPS AT ALL SHEAR WALL LOCATIONS PER PLAN, IF APPLICABLE.

5. WOOD FRAMING:

- A. STRUCTURAL LUMBER SHALL BE DOUGLAS FIR/LARCH (DF-L) #2 OR BETTER.
 B. WOOD INSTALLED WITHIN 1" OF CONCRETE OR MASONRY SHALL BE REDWOOD OR PRESURIZED TREATED.
 C. PROVIDE WET USE ADHESIVES.
 D. MAXIMUM LUMBER MOISTURE CONTENTS SHALL BE 15%.
 E. ALL FRAMING DETAILS SHALL BE IN ACCORDANCE WITH THE ADOPTED CODE.
 F. PROVIDE SOLID BLOCKING BELOW ALL BEARING WALLS AND POSTS. PROVIDE BLOCKING @ 24" O.C. @ JOISTS PARALLEL WITH BEARING WALLS ABOVE.
 G. MINIMUM HEADERS AT BEARING WALL TO BE 4X6 WITH 4X6 BEARING STUD PLUS KING STUD EACH SIDE. TRIMERS WITH LARGER CROWN WILL BE CALLED OUT IN PLANS.
 H. BLOCK AND NAIL ALL HORIZONTAL PANEL EDGES AT SHEAR WALLS.
 I. ROOF SHEATHING: 1/2" CDX MIN. (24" O.C. SPAN RATING 100 @ 2' 1/2" O.C. EDGE AND 1" O.C. FIELD (U.N.O.).
 J. FLOOR SHEATHING: 5/8" CDX MIN. (24" O.C. SPAN RATING 100 @ 4" O.C. EDGE AND 1" O.C. FIELD (U.N.O.).
 K. EXT. WALL SHEATHING: 1/2" CDX MIN. (24" O.C. SPAN RATING ALL SPAN RATINGS TO MEET LOCAL CODES.
 L. ORIENTED STRAND BOARD (OSB) WITH THE SAME SPAN RATING MAY BE SUBSTITUTED.
 M. ALL EXTERIOR WALLS TO BE 2X6 @ 16" O.C. AND AT INTERIOR NON-LOAD BEARING PARTITIONS TO BE 2X4 @ 16" O.C. STUD WALLS (U.N.O.).
 N. 2X DIMENSIONAL STUDS ARE TO BE STANDARD (DF-L) #2 OR BETTER WESTERN WHITE WOODS (WWW).
 O. PROVIDE STEEL STRAPS AT PIPES IN STUD WALLS AS REQUIRED BY THE ADOPTED CODE.
 P. OVER-FRAMING SHALL BE DONE SUCH THAT VERTICAL LOADS ARE TRANSFERRED TO MAIN STRUCTURE BELOW BY DIRECT BEARING AT SPACING NOT TO EXCEED 24" O.C.
 Q. METAL BRACKETS AND CONNECTIONS ARE "SIMPSON" AND SHALL BE INSTALLED PER "SIMPSON" RECOMMENDATIONS.
 R. SHEATHING SHALL BE APA RATED EXPOSURE 1.
 S. STAGGER SHEATHING END JOINTS 4'-0".
 T. PROVIDE 1/4" SPACE AT ALL PANEL EDGES FOR EXPANSION.
 U. FRAME INTERIOR BEARING WALLS SHORT TO ACCOUNT FOR LOG SETTLING.
 V. FRAME INTERIOR POSTS SHORT TO ACCOUNT FOR LOG SETTLING. USE REMOVABLE SHIMS OR SETTING JACKS AS NECESSARY.
 W. ALL WINDOW SIZES ARE NOMINAL. VERIFY ACTUAL LOG OPENINGS WITH LOG & WINDOW MANUFACTURERS.
 X. ALL WINDOW SIZES SHALL HAVE THE MINIMUM SECTION PROPERTIES OF FB = 2000 PSI, F_y = 285 PSI, E = 2,000,000 PSI.
 Y. ALL ROOF OPENINGS GREATER THAN 12X12" SHALL BE FRAMED IN OPENINGS.
 Z. GULL-LAM BEAMS SHALL BE DOUGLAS FIR COMBINATION 24F V4 FOR SIMPLY SUPPORTED AND 24F V8 FOR CANTILEVERED BEAMS. FB = 2400 PSI, F_y = 165 PSI, E = 1,800,000 PSI. PROVIDE WET USE GLUE ON ALL EXTERIOR LOCATIONS.

6. STRUCTURAL STEEL:

- A. BOLTS AND LAGS SHALL CONFORM TO ASTM A36 (U.N.O.)
 B. STEEL TUBES TO CONFORM TO ASTM500, GRADE B (F_y = 40KSI)
 C. PROVIDE WILD STEEL PLATE WASHERS AT ALL BOLT HEADS AND NUTS BEARING AGAINST WOOD.
 D. ALL WORK SHALL BE IN ACCORDANCE WITH THE 9TH EDITION, OR 1ST EDITION LIFTED MANUAL OF ASCE SPECIFICATIONS FOR THE DESIGN, FABRICATION AND ERECTION OF STRUCTURAL STEEL FOR BUILDINGS.
 E. ALL WELDING SHALL BE PERFORMED PER AWS D1.1 WITH A MINIMUM WELD SIZE OF 3/16" AND WITH 70% COVERAGE.
 F. MACHINE BOLTS SHALL BE ASTM A325 (U.N.O.)
 G. PROVIDE LOCK WASHERS BETWEEN NUT AND CONNECTED STEEL.
 H. ALL STEEL, INCLUDING NUTS, BOLTS, AND WASHERS EXPOSED TO WEATHER, SHALL BE GALVANIZED.

7. PRE-MANUFACTURED METAL PLATED TRUSSES:

- A. PRE-MANUFACTURED TRUSS PROVIDER TO VERIFY ALL LOADING PATTERNS TO FOOTINGS BELOW.
 B. PRE-MANUFACTURED TRUSS PROVIDER TO PROVIDE SUPPORT @ TRUSSES FOR LOADING SHOWN ON ALL PLANS, SECTIONS AND DETAILS. VERIFY SECOND FLOOR LOADING AND SPECIAL CASE POINT LOADING FROM LOG AND FRAMED ROOF SYSTEMS.
 C. ALL PRE-MANUFACTURED ROOF TRUSSES SHALL BE DESIGNED FOR THE ROOF LOADS SHOWN AND ACCORD TO ANY REQUIRED ADDITIONAL DRIFT, VALLEY, OR GIVE LOAD PER CODE. TRUSS SHOP DRAWINGS SHALL BE SUBMITTED TO THE ENGINEER OF RECORD (E.O.R.) FOR REVIEW AND COMPLIANCE.

8. GENERAL STRUCTURAL NOTES:


- A. CONTRACTOR TO VERIFY ALL OPENINGS, BUILDING DIMENSIONS, COLUMN LOCATIONS AND DIMENSIONS WITH OWNER AND LOG MANUFACTURER PRIOR TO POURING OF ANY CONCRETE FOUNDATIONS OR CONSTRUCTION.
 B. THE ENGINEER OF RECORD IS NOT RESPONSIBLE FOR ANY DEVIATIONS FROM THESE PLANS UNLESS SUCH CHANGES ARE AUTHORIZED IN WRITING TO THE ENGINEER OF RECORD.
 C. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING SAFE AND ADEQUATE SHORING AND/OR TEMPORARY STRUCTURAL STABILITY FOR ALL PARTS OF THE STRUCTURE DURING CONSTRUCTION. THE STRUCTURE SHOWN ON THE DRAWINGS HAS BEEN DESIGNED FOR FINAL CONFIGURATION.
 D. NOTICING AND/OR CUTTING OF ANY STRUCTURAL MEMBER IN THE FIELD IS PROHIBITED, UNLESS PRIOR CONSENT IS GIVEN BY THE ENGINEER OF RECORD.

ROOF MATERIALS

RISE CAP	6039 FL
VALLEY FLASHING	3934 FL
BEND TO SLOPE FLASHING	3044 FL
RIDGE VENT	129 FL
METAL ROOFING SHINGLES	615 FL
OSB	3539 Sq. Ft.
GABLE FASCIA	12374 Sq. Ft.
EAVE FASCIA	4939 Ea
DRIF EDGE	2066 FL
	812 FL
	1710 FL

2018 INTERNATIONAL ENERGY CONSERVATION CODE (IECC)

CLIMATE ZONE	RESIDENTIAL ENERGY EFFICIENCY INDEX (EEI)	RESIDENTIAL ENERGY EFFICIENCY INDEX (EEI) - 15% BONUS	RESIDENTIAL ENERGY EFFICIENCY INDEX (EEI) - 30% BONUS
1	100	115	130
2	100	115	130
3	100	115	130
4	100	115	130
5	100	115	130
6	100	115	130
7	100	115	130
8	100	115	130
9	100	115	130
10	100	115	130



MAIN LEVEL	3394	sq. ft.
UPPER LEVEL	1924	sq. ft.
TOTAL LIVING SPACE	4973	sq. ft.
BONUS ROOM	1022	sq. ft.
UNFINISHED MECH.	151	sq. ft.
GARAGE	2144	sq. ft.
COVERED PORCH/DECK	1222	sq. ft.

PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS

PROJECT NO.
26-014

65T S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID

SHEET SIZE
36" x 54"

INITIAL DATE: 04/16/2026
PRINT DATE: 5/22/2026

DRAWN BY: Steve

SVC Design
SVC Design
205.244.7266
Nampa, ID

SHEET NUMBER
A1
PAGE 1

CONTRACTOR TO VERIFY ALL DETAILS, DIMENSIONS, AND SPECIFICATIONS PRIOR TO CONSTRUCTION AND REPORT ANY OMISSIONS AND/OR ERRORS TO SMC DESIGN. THE PURCHASER OR BUILDER OF THIS PLAN RELEASES SMC DESIGN FROM ANY CLAIMS, LITIGATIONS OR SUITS THAT MAY ARISE DURING CONSTRUCTION OR ANYTIME THEREAFTER.

COVER SHEET

FOR BIDDING ONLY
NOT FOR CONSTRUCTION



SITE PLAN
1 IN = 20 FT

PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS

PROJECT NO.
26-014

657 S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID



SHEET SIZE
36" x 54"

INITIAL DATE: 04/16/2026
PRINT DATE: 5/22/2026


DRAWN BY:
Steve

SITE PLAN

SVC Design
SVC Design
205.244.7266
Nampa, ID

SHEET NUMBER
A2
PAGE 2

PRINTING ONLY
NOT FOR CONSTRUCTION



PROJECT NO.
26-014

657 S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID

SHEET SIZE
36" x 54"

INITIAL DATE: 04/16/2026
PRINT DATE: 5/22/2026

DRAWN BY:
Steve

FLOOR PLAN - 1ST LEVEL


MAIN LEVEL	9394 sq ft
UPPER LEVEL	1504 sq ft
TOTAL LIVING SPACE	4973 sq ft
BONUS ROOM	1082 sq ft
UNFINISHED MECH.	154 sq ft
GARAGE	2194 sq ft
COVID PORCH/DECK	1202 sq ft
BARN	3104 sq ft

MAIN LEVEL NOTES:
ALL ANGLE 45° UNO
2x4 EXT. WALLS @ 16" O.C.
9'-1 1/8" PLATE HEIGHT UNO
ALL PARTITION DIMENSIONS
ARE TO FACE OF STUD

PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS

NUMBER	QTY	FLOOR	SIZE	WIDTH	HEIGHT	DOOR SCHEDULE	TRANSFER FSK	COMMENTS	CALC #	NUMBER
D01	1	1	1107140	36"	80"	DOOR				D01
D02	1	1	1107140	36"	80"	DOOR				D02
D03	1	1	1107140	36"	80"	DOOR				D03
D04	1	1	1107140	36"	80"	DOOR				D04
D05	1	1	1107140	36"	80"	DOOR				D05
D06	1	1	1107140	36"	80"	DOOR				D06
D07	1	1	1107140	36"	80"	DOOR				D07
D08	1	1	1107140	36"	80"	DOOR				D08
D09	1	1	1107140	36"	80"	DOOR				D09
D10	1	1	1107140	36"	80"	DOOR				D10
D11	1	1	1107140	36"	80"	DOOR				D11
D12	1	1	1107140	36"	80"	DOOR				D12
D13	1	1	1107140	36"	80"	DOOR				D13
D14	1	1	1107140	36"	80"	DOOR				D14
D15	1	1	1107140	36"	80"	DOOR				D15
D16	1	1	1107140	36"	80"	DOOR				D16
D17	1	1	1107140	36"	80"	DOOR				D17
D18	1	1	1107140	36"	80"	DOOR				D18
D19	1	1	1107140	36"	80"	DOOR				D19
D20	1	1	1107140	36"	80"	DOOR				D20
D21	1	1	1107140	36"	80"	DOOR				D21
D22	1	1	1107140	36"	80"	DOOR				D22
D23	1	1	1107140	36"	80"	DOOR				D23
D24	1	1	1107140	36"	80"	DOOR				D24
D25	1	1	1107140	36"	80"	DOOR				D25

NUMBER	QTY	FLOOR	SIZE	WIDTH	HEIGHT	WINDOW SCHEDULE	TRANSFER FSK	COMMENTS	CALC #	NUMBER
W01	1	1	1107140	36"	80"	WINDOW				W01
W02	1	1	1107140	36"	80"	WINDOW				W02
W03	1	1	1107140	36"	80"	WINDOW				W03
W04	1	1	1107140	36"	80"	WINDOW				W04
W05	1	1	1107140	36"	80"	WINDOW				W05
W06	1	1	1107140	36"	80"	WINDOW				W06
W07	1	1	1107140	36"	80"	WINDOW				W07
W08	1	1	1107140	36"	80"	WINDOW				W08
W09	1	1	1107140	36"	80"	WINDOW				W09
W10	1	1	1107140	36"	80"	WINDOW				W10
W11	1	1	1107140	36"	80"	WINDOW				W11
W12	1	1	1107140	36"	80"	WINDOW				W12
W13	1	1	1107140	36"	80"	WINDOW				W13
W14	1	1	1107140	36"	80"	WINDOW				W14
W15	1	1	1107140	36"	80"	WINDOW				W15
W16	1	1	1107140	36"	80"	WINDOW				W16
W17	1	1	1107140	36"	80"	WINDOW				W17
W18	1	1	1107140	36"	80"	WINDOW				W18
W19	1	1	1107140	36"	80"	WINDOW				W19
W20	1	1	1107140	36"	80"	WINDOW				W20



PROJECT NO.
26-014

657 S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID

SHEET SIZE
36" x 54"

INITIAL DATE: 04/16/2026
PRINT DATE: 5/22/2026

DRAWN BY:
Steve

SVC Design
SVC Design
205.244.7266
Nampa, ID

SHEET NUMBER
A4
PAGE 4

FLOOR PLAN - GARAGE & BARN


MAIN LEVEL	9394 sq. ft.
UPPER LEVEL	1564 sq. ft.
TOTAL LIVING SPACE	4973 sq. ft.
BONUS ROOM	1082 sq. ft.
UNFINISHED MECH.	154 sq. ft.
GARAGE	2194 sq. ft.
COVD PORCH/DECK	1202 sq. ft.
BARN	5104 sq. ft.

MAIN LEVEL NOTES:
ALL ANGLE 45° UNO
2x6 EXT. WALLS @ 16" O.C.
9'-1 1/8" PLATE HEIGHT UNO
ALL PARTITION DIMENSIONS
ARE TO FACE OF STUD

PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS

NUMBER	FLOOR	TYPE	WIDTH	HEIGHT	DOOR SCHEDULE	TRANSFER FSK	COMMENTS	CALC #	NUMBER
D01	1	1101740	144"	116"	DOOR				D01
D02	1	1101740	144"	116"	DOOR				D02
D03	1	1101740	144"	116"	DOOR				D03
D04	1	1101740	144"	116"	DOOR				D04
D05	1	1101740	144"	116"	DOOR				D05
D06	1	1101740	144"	116"	DOOR				D06
D07	1	1101740	144"	116"	DOOR				D07
D08	1	1101740	144"	116"	DOOR				D08
D09	1	1101740	144"	116"	DOOR				D09
D10	1	1101740	144"	116"	DOOR				D10
D11	1	1101740	144"	116"	DOOR				D11
D12	1	1101740	144"	116"	DOOR				D12
D13	1	1101740	144"	116"	DOOR				D13
D14	1	1101740	144"	116"	DOOR				D14
D15	1	1101740	144"	116"	DOOR				D15
D16	1	1101740	144"	116"	DOOR				D16
D17	1	1101740	144"	116"	DOOR				D17
D18	1	1101740	144"	116"	DOOR				D18
D19	1	1101740	144"	116"	DOOR				D19
D20	1	1101740	144"	116"	DOOR				D20
D21	1	1101740	144"	116"	DOOR				D21
D22	1	1101740	144"	116"	DOOR				D22
D23	1	1101740	144"	116"	DOOR				D23
D24	1	1101740	144"	116"	DOOR				D24
D25	1	1101740	144"	116"	DOOR				D25

NUMBER	FLOOR	TYPE	WIDTH	HEIGHT	WINDOW SCHEDULE	TRANSFER FSK	COMMENTS	CALC #	NUMBER
W01	1	1101740	144"	116"	WINDOW				W01
W02	1	1101740	144"	116"	WINDOW				W02
W03	1	1101740	144"	116"	WINDOW				W03
W04	1	1101740	144"	116"	WINDOW				W04
W05	1	1101740	144"	116"	WINDOW				W05
W06	1	1101740	144"	116"	WINDOW				W06
W07	1	1101740	144"	116"	WINDOW				W07
W08	1	1101740	144"	116"	WINDOW				W08
W09	1	1101740	144"	116"	WINDOW				W09
W10	1	1101740	144"	116"	WINDOW				W10
W11	1	1101740	144"	116"	WINDOW				W11
W12	1	1101740	144"	116"	WINDOW				W12
W13	1	1101740	144"	116"	WINDOW				W13
W14	1	1101740	144"	116"	WINDOW				W14
W15	1	1101740	144"	116"	WINDOW				W15
W16	1	1101740	144"	116"	WINDOW				W16
W17	1	1101740	144"	116"	WINDOW				W17
W18	1	1101740	144"	116"	WINDOW				W18
W19	1	1101740	144"	116"	WINDOW				W19
W20	1	1101740	144"	116"	WINDOW				W20



PROJECT NO.
26-014

657 S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID

SHEET SIZE
36" x 54"

INITIAL DATE: 04/16/2026
PRINT DATE: 5/22/2026

DRAWN BY:
Steve

SHEET NUMBER
A5

PAGE 5

CONTRACTOR TO VERIFY ALL DETAILS, DIMENSIONS, AND SPECIFICATIONS PRIOR TO CONSTRUCTION AND REPORT ANY OMISSIONS AND/OR ERRORS TO SMC DESIGN. THE PURCHASER OR BUILDER OF THIS PLAN RELEASES SMC DESIGN FROM ANY CLAIMS, LITIGATIONS OR SUITS THAT MAY ARISE DURING CONSTRUCTION OR ANYTIME THEREAFTER.

FLOOR PLAN - 2ND LEVEL

MAIN LEVEL	9394 sq. ft.
UPPER LEVEL	1564 sq. ft.
TOTAL LIVING SPACE	4973 sq. ft.
BONUS ROOM	1082 sq. ft.
UNFINISHED MECH.	194 sq. ft.
GARAGE	2194 sq. ft.
COVERD PORCH/DECK	1202 sq. ft.
BARN	5104 sq. ft.

UPPER LEVEL NOTES:
ALL ANGLE 45° UNO
2x6 EXT. WALLS @ 16" O.C.
8'-1 1/8" PLATE HEIGHT UNO
ALL PARTITION DIMENSIONS
ARE TO FACE OF STUD

PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS

NUMBER	FLOOR	TYPE	WIDTH	HEIGHT	DOOR SCHEDULE	TRANSFER	COMMENTS	CALC #	NUMBER
D01	1	1100T40	36"	78"	POCKET				D01
D02	1	1100T40	36"	78"	POCKET				D02
D03	1	1100T40	36"	78"	POCKET				D03
D04	1	1100T40	36"	78"	POCKET				D04
D05	1	1100T40	36"	78"	POCKET				D05
D06	1	1100T40	36"	78"	POCKET				D06
D07	1	1100T40	36"	78"	POCKET				D07
D08	1	1100T40	36"	78"	POCKET				D08
D09	1	1100T40	36"	78"	POCKET				D09
D10	1	1100T40	36"	78"	POCKET				D10
D11	1	1100T40	36"	78"	POCKET				D11
D12	1	1100T40	36"	78"	POCKET				D12
D13	1	1100T40	36"	78"	POCKET				D13
D14	1	1100T40	36"	78"	POCKET				D14
D15	1	1100T40	36"	78"	POCKET				D15
D16	1	1100T40	36"	78"	POCKET				D16
D17	1	1100T40	36"	78"	POCKET				D17
D18	1	1100T40	36"	78"	POCKET				D18
D19	1	1100T40	36"	78"	POCKET				D19
D20	1	1100T40	36"	78"	POCKET				D20
D21	1	1100T40	36"	78"	POCKET				D21
D22	1	1100T40	36"	78"	POCKET				D22
D23	1	1100T40	36"	78"	POCKET				D23
D24	1	1100T40	36"	78"	POCKET				D24
D25	1	1100T40	36"	78"	POCKET				D25

NUMBER	FLOOR	TYPE	WIDTH	HEIGHT	WINDOW SCHEDULE	TRANSFER	COMMENTS	CALC #	NUMBER
W01	1	1100T40	36"	78"	POCKET				W01
W02	1	1100T40	36"	78"	POCKET				W02
W03	1	1100T40	36"	78"	POCKET				W03
W04	1	1100T40	36"	78"	POCKET				W04
W05	1	1100T40	36"	78"	POCKET				W05
W06	1	1100T40	36"	78"	POCKET				W06
W07	1	1100T40	36"	78"	POCKET				W07
W08	1	1100T40	36"	78"	POCKET				W08
W09	1	1100T40	36"	78"	POCKET				W09
W10	1	1100T40	36"	78"	POCKET				W10
W11	1	1100T40	36"	78"	POCKET				W11
W12	1	1100T40	36"	78"	POCKET				W12
W13	1	1100T40	36"	78"	POCKET				W13
W14	1	1100T40	36"	78"	POCKET				W14
W15	1	1100T40	36"	78"	POCKET				W15
W16	1	1100T40	36"	78"	POCKET				W16
W17	1	1100T40	36"	78"	POCKET				W17
W18	1	1100T40	36"	78"	POCKET				W18
W19	1	1100T40	36"	78"	POCKET				W19
W20	1	1100T40	36"	78"	POCKET				W20




SCAN FOR
CURRENT PLAN




SCAN FOR
RENDERINGS



FT FRONT ELEVATION
3/16 IN = 1 FT



RT RIGHT ELEVATION
3/16 IN = 1 FT



LT LEFT ELEVATION
3/16 IN = 1 FT

EXTERIOR MATERIALS	
CALLOUT	DESCRIPTION
(M1)	ARCHITECTURAL SHINGLES
(M2)	CONTINUOUS RIDGE VENT
(M3)	LAP SIDING

SHEET INDEX	
PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS



RE REAR ELEVATION
3/16 IN = 1 FT

PROJECT NO.
26-014

657 S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID

SHEET SIZE
36" x 54"

INITIAL DATE: 04/16/2026

PRINT DATE: 5/22/2026


DRAWN BY:
Steve

SVC Design
SVC Design
205.244.7266
Nampa, ID


SHEET NUMBER
A6
PAGE 6

CONTRACTOR TO VERIFY ALL DETAILS, DIMENSIONS, AND SPECIFICATIONS PRIOR TO CONSTRUCTION AND REPORT ANY OMISSIONS AND/OR ERRORS TO SMC DESIGN. THE PURCHASER OR BUILDER OF THIS PLAN RELEASES SMC DESIGN FROM ANY CLAIMS, LITIGATIONS OR SUITS THAT MAY ARISE DURING CONSTRUCTION OR ANYTIME THEREAFTER.


ELEVATIONS



VIEW A - A
1/4 IN = 1 FT



VIEW B - B
1/4 IN = 1 FT



VIEW C - C
1/4 IN = 1 FT

PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS

PROJECT NO.
26-014

657 S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID



CONTRACTOR TO VERIFY ALL DETAILS, DIMENSIONS, AND SPECIFICATIONS PRIOR TO CONSTRUCTION. REPORT ANY OMISSIONS AND/OR ERRORS TO SMC DESIGN. THE PURCHASER OR BUILDER OF THIS PLAN RELEASES SMC DESIGN FROM ANY CLAIMS, LITIGATIONS OR SUITS THAT MAY ARISE DURING CONSTRUCTION OR ANYTIME THEREAFTER.


SHEET SIZE
36" x 54"

INITIAL DATE: 04/16/2026
PRINT DATE: 5/22/2026


DRAWN BY:
Steve

SVC Design
SVC Design
205.244.7286
Nampa, ID

SHEET NUMBER
A7
PAGE 7



VIEW D - D
1/4 IN = 1 FT




VIEW E - E
1/4 IN = 1 FT



VIEW F - F
1/4 IN = 1 FT

PROJECT NO.
26-014

657 S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID



CONTRACTOR TO VERIFY ALL DETAILS, DIMENSIONS, AND SPECIFICATIONS PRIOR TO CONSTRUCTION AND REPORT ANY OMISSIONS AND/OR ERRORS TO SMC DESIGN. THE PURCHASER OR BUILDER OF THIS PLAN RELEASES SMC DESIGN FROM ANY CLAIMS, LITIGATIONS OR SUITS THAT MAY ARISE DURING CONSTRUCTION OR ANYTIME THEREAFTER.

SHEET SIZE
36" x 54"

INITIAL DATE: 04/16/2026
PRINT DATE: 5/22/2026

DRAWN BY:
Steve

SECTION VIEWS


PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS

SMC Design
205.244.7266
Nampa, ID


SHEET NUMBER
A8
PAGE 6



VIEW G - G
1/4 IN = 1 FT



VIEW H - H
1/4 IN = 1 FT




VIEW I - I
1/4 IN = 1 FT

PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS

PROJECT NO.
26-014

65T S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID



CONTRACTOR TO VERIFY ALL DETAILS, DIMENSIONS, AND SPECIFICATIONS PRIOR TO CONSTRUCTION. AND REPORT ANY OMISSIONS AND/OR ERRORS TO SMC DESIGN. THE PURCHASER OR BUILDER OF THIS PLAN RELEASES SMC DESIGN FROM ANY CLAIMS, LITIGATIONS OR SUITS THAT MAY ARISE DURING CONSTRUCTION OR ANYTIME THEREAFTER.


SHEET SIZE
36" x 54"

INITIAL DATE: 04/16/2026
PRINT DATE: 5/22/2026


DRAWN BY:
Steve

SMC Design
205.244.7288
Nampa, ID


SHEET NUMBER
A9
PAGE 9



VIEW J - J
1/4 IN = 1 FT




VIEW K - K
1/4 IN = 1 FT



VIEW L - L
1/4 IN = 1 FT

PROJECT NO.
26-014

65T S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID



CONTRACTOR TO VERIFY ALL DETAILS, DIMENSIONS, AND SPECIFICATIONS PRIOR TO CONSTRUCTION AND REPORT ANY OMISSIONS AND/OR ERRORS TO SMC DESIGN. THE PURCHASER OR BUILDER OF THIS PLAN RELEASES SMC DESIGN FROM ANY CLAIMS, LITIGATIONS OR SUITS THAT MAY ARISE DURING CONSTRUCTION OR ANYTIME THEREAFTER.

SHEET SIZE
36" X 54"

INITIAL DATE: 04/16/2026
PRINT DATE: 5/22/2026


DRAWN BY:
Steve

SECTION VIEWS

PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS

SMC Design
205.244.7286
Nampa, ID


SHEET NUMBER
A10
PAGE 10



M VIEW M - M
1/4 IN = 1 FT




N VIEW N - N
1/4 IN = 1 FT



O VIEW O - O
1/4 IN = 1 FT

PROJECT NO.
26-014

65T S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID



CONTRACTOR TO VERIFY ALL DETAILS, DIMENSIONS, AND SPECIFICATIONS PRIOR TO CONSTRUCTION AND REPORT ANY OMISSIONS AND/OR ERRORS TO SMC DESIGN. THE PURCHASER OR BUILDER OF THIS PLAN RELEASES SMC DESIGN FROM ANY CLAIMS, LITIGATIONS OR SUITS THAT MAY ARISE DURING CONSTRUCTION OR ANYTIME THEREAFTER.

SHEET SIZE
36" X 54"

INITIAL DATE: 04/16/2026
PRINT DATE: 5/22/2026


DRAWN BY:
Steve

SECTION VIEWS


PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS

SMC Design
205 244 7288
Nampa, ID


SHEET NUMBER
A11
PAGE 11




P VIEW P - P
1/4 IN = 1 FT



Q VIEW Q - Q
1/4 IN = 1 FT



R VIEW R - R
1/4 IN = 1 FT



S VIEW S - S
1/4 IN = 1 FT

PROJECT NO.
26-014

65T S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID



CONTRACTOR TO VERIFY ALL DETAILS, DIMENSIONS, AND SPECIFICATIONS PRIOR TO CONSTRUCTION, AND REPORT ANY OMISSIONS AND/OR ERRORS TO SMC DESIGN. THE PURCHASER OR BUILDER OF THIS PLAN RELEASES SMC DESIGN FROM ANY CLAIMS, LITIGATIONS OR SUITS THAT MAY ARISE DURING CONSTRUCTION OR ANYTIME THEREAFTER.

SHEET SIZE
36" x 54"

INITIAL DATE: 04/16/2026
PRINT DATE: 5/22/2026


DRAWN BY:
Steve

SECTION VIEWS


PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS

SMC Design
205.244.7266
Nampa, ID


SHEET NUMBER
A12
PAGE 12



VIEW T - T
1/4 IN = 1 FT



VIEW U - U
1/4 IN = 1 FT



VIEW V - V
1/4 IN = 1 FT

PAGE	TITLE
A1	COVER SHEET
A2	SITE PLAN
A3	FLOOR PLAN - 1ST LEVEL
A4	FLOOR PLAN - GARAGE & BARN
A5	FLOOR PLAN - 2ND LEVEL
A6	ELEVATIONS
A7	SECTION VIEWS
A8	SECTION VIEWS
A9	SECTION VIEWS
A10	SECTION VIEWS
A11	SECTION VIEWS
A12	SECTION VIEWS
A13	SECTION VIEWS

PROJECT NO.
26-014

65T S CHARLIE HORSE LN
MARTINEZ ESTATE EAGLE, ID

SHEET SIZE
36" x 54"

INITIAL DATE: 04/16/2026
PRINT DATE: 5/22/2026

DRAWN BY:
Steve

SVC Design
205.244.7288
Nampa, ID

SHEET NUMBER
A13
PAGE 13

CONTRACTOR TO VERIFY ALL DETAILS, DIMENSIONS, AND SPECIFICATIONS PRIOR TO CONSTRUCTION AND REPORT ANY OMISSIONS AND/OR ERRORS TO SMC DESIGN. THE PURCHASER OR BUILDER OF THIS PLAN RELEASES SMC DESIGN FROM ANY CLAIMS, LITIGATIONS OR SUITS THAT MAY ARISE DURING CONSTRUCTION OR ANYTIME THEREAFTER.

SECTION VIEWS